

Special Local Need FIFRA Section 24(c) Label
ANTIXX Fire Ant Bait
COFFEE (*Coffea Arabica*)
STATE OF HAWAII

ACCEPTED

June 18, 2021

Under Hawaii Pesticides Law
as Supplement to Product No.
8857.10

24(c) Special Local Need

For distribution and use only in the state of Hawaii

ANTIXX Fire Ant Bait

To control Little Fire Ant (*Wasmannia auropunctata*) in coffee

Spinosad	Group	5	INSECTICIDE
-----------------	--------------	----------	--------------------

Active Ingredients:

spinosad (a mixture of spinosyn A and
spinosyn D)..... 0.015%
Other Ingredients 99.985%
Total..... 100.000%

Keep Out of Reach of Children

CAUTION

REGISTRANT:

W. Neudorff GmbH KG
An der Muhle 3,
31860 Emmerthal, Germa

EPA Reg. No. 67702-56

EPA SLN No. HI-210001

Issue date: June 18, 2021

Expiration Date: June 17, 2026



Environmental Hazards

This product is toxic to aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or when disposing of equipment washwaters.

Special Local Need FIFRA Section 24(c) Label

ANTIXX Fire Ant Bait

COFFEE (*Coffea Arabica*)

STATE OF HAWAII

Agricultural Use Requirements

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 4 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Coveralls
- Waterproof gloves
- Shoes plus socks

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This Special Local Need (SLN) label and the EPA registered **ANTIXX FIRE ANT BAIT** product label must be in the possession of the user at the time of pesticide application.

Follow all applicable directions, restrictions, and precautions on the EPA registered **ANTIXX FIRE ANT BAIT** label.

Only for use on Coffee.

This label is valid until June 17, 2026 or until otherwise amended, withdrawn, cancelled or suspended.

Broadcast Application

Apply according to the rate table below. Distribute as evenly as possible over the infested area with a properly calibrated rotary-type hand-held, PTO, gas, electric or ground driven spreader. Broadcast applications will control established and new colonies. Applications every four to six weeks will help keep invading queens from establishing new colonies. If rain occurs within 12 hours of application, adequate foraging may not have occurred and re-treatment may be necessary.

Broadcast Application Rate		
cups per 1000 sq ft	cups per 10,000 sq ft	lb per acre
1/3 - 2/3	3 - 6	2.5 - 5

Use a higher rate in the rate range for heavier infestations, faster activity and greater overall control.

Special Local Need FIFRA Section 24(c) Label

ANTIXX Fire Ant Bait

COFFEE (*Coffea Arabica*)

STATE OF HAWAII

GENERAL INFORMATION

ANTIXX Fire Ant Bait contains spinosad, which is biologically derived from the fermentation of *Saccharopolyspora spinosa*, a naturally occurring soil organism.

ANTIXX Fire Ant Bait is attractive and deadly to ants and is readily taken back into the nest as food for the colony. The active ingredient in the bait is distributed throughout the colony, killing the ants, including the queens. Ants that consume the bait will appear sick and lethargic within 12 to 24 hours and dead ants will frequently be seen 24 to 36 hours after application. Complete control will require reapplication every four to six weeks. If reapplication is required, use broadcast application rates at intervals of no less than 14 days until control is achieved. Maintain the freshness and attractiveness of the bait by keeping the container tightly sealed and using the product within the season of purchase.

Can be used up to and including day of harvest.

NOTICE TO BUYER

Seller warrants that this product conforms to the chemical description on this label and is reasonably fit for purposes stated on this label only when used in accordance with directions under normal use conditions. This warranty does not extend to use of this product contrary to label directions, or under abnormal use conditions, or under conditions not reasonably foreseeable to seller. To the extent consistent with applicable law, buyer assumes all risk of any such use. Seller makes no other warranties, either expressed or implied.